

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|------------------|
| S1 | 7 | reorganiz\$3 near3 (request or transaction or task or process) near3 (queue or chain\$3) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 13:51 |
| S2 | 1038 | (resource or peripheral or I/O or sotrage) near3 (access or request or transaction or task or process or command) near3 (queue or chain\$3) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 15:02 |
| S3 | 3 | ((resource or peripheral or I/O or sotrage) near3 (access or request or transaction or task or process or command) near3 (queue or chain\$3)) and (reorganiz\$3 near3 (queue or chain\$3)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 13:52 |
| S4 | 268 | ((resource or peripheral or I/O or sotrage) near3 (access or request or transaction or task or process or command) near3 (queue or chain\$3)) and ((reorganiz\$3 or reorder\$3 or order\$3) near3 (queue or chain\$3)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 13:53 |
| S5 | 103 | ((((resource or peripheral or I/O or sotrage) near3 (access or request or transaction or task or process or command) near3 (queue or chain\$3)) and ((reorganiz\$3 or reorder\$3 or order\$3) near3 (queue or chain\$3))) and ((resource or peripheral or I/O or sotrage) near3 Manag\$3)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 13:55 |
| S6 | 12794 | schedul\$3 near3 (request or transaction or task or process or command) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 16:59 |
| S7 | 18 | (((((resource or peripheral or I/O or sotrage) near3 (access or request or transaction or task or process or command) near3 (queue or chain\$3)) and ((reorganiz\$3 or reorder\$3 or order\$3) near3 (queue or chain\$3))) and ((resource or peripheral or I/O or sotrage) near3 Manag\$3)) and (schedul\$3 near3 (request or transaction or task or process or command)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 15:32 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S8 | 96 | mainframe and (LDAP near3 directory) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 15:36 |
| S9 | 91 | (mainframe and (LDAP near3 directory)) and request | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 15:33 |
| S10 | 39 | mainframe and (LDAP or (Lightweight near Directory near Access near Protocol)) and ((request or transaction or task or process) near3 (queue or chain\$3)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 15:37 |
| S11 | 18 | (scheduler near3 (request or transaction or task or process or command)) and (repository near3 (request or transaction or task or process or command)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 17:23 |
| S12 | 2 | ("6115646").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/03 15:42 |
| S13 | 2 | S12 and request\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/03 15:47 |
| S14 | 434 | (request\$3 with (chain or queue)) same (request\$3 near4 scheduler) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/03 16:13 |
| S15 | 3 | ("6715144").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/03 15:46 |
| S16 | 316 | S14 and ((handl\$4 or process\$4 or complet\$4 or execute\$4) near5 request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/03 15:58 |
| S17 | 176 | S14 and ((handl\$4 or process\$4 or complet\$4 or execute\$4) near5 request\$3) | USPAT | OR | ON | 2005/01/03 15:59 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S18 | 3842 | (buffer or fifo or queue) with scheduler | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/03 16:14 |
| S19 | 1888 | (buffer or fifo or queue) with scheduler | USPAT | OR | ON | 2005/01/03 16:21 |
| S20 | 644 | S19 and ((buffer or fifo or queue) near4 request) | USPAT | OR | ON | 2005/01/03 16:21 |
| S21 | 18 | (scheduler near3 (request or transaction or task or process or command)) and (repository near3 (request or transaction or task or process or command)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 09:33 |
| S22 | 8 | S21 and ((queue or fifo or chain or buffer) near3 (request or transaction or task or process or command)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/04 10:19 |
| S23 | 62 | (input near4 (request or transaction or task or process or command) near4 (queue or buffer or fifo)) with (scheduler) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/04 10:27 |
| S24 | 62 | S23 and (scheduler) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/04 10:28 |
| S25 | 3 | ("6715144").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/23 08:15 |
| S26 | 6 | ("6125402" "6381742" "6405364" "6442754" "6513153" "6529784").PN. OR ("6715144").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/23 08:16 |
| S27 | 0 | (request or transaction or task or process or command) with status with name with configr\$8 with version | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 09:35 |
| S28 | 0 | (request or transaction or task or process or command) same status same name same configr\$8 same version | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:03 |
| S29 | 940 | 710/5.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 09:43 |

| | | | | | | |
|-----|--------|--|--|----|----|------------------|
| S30 | 43 | S29 and ((request or transaction or task or process or command) and (scheduler)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:08 |
| S31 | 162575 | (request or transaction or task or process or command) near3 (attribut\$4 or characteristic or feature or component) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:33 |
| S32 | 1416 | S31 and (scheduler) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:43 |
| S33 | 16 | S31 with (version with configur\$8) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:10 |
| S34 | 132 | (request or transaction or task or process or command) with (re\$organize) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:01 |
| S35 | 3 | S34 and (scheduler) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:45 |
| S36 | 0 | S34 with (scheduler) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 10:45 |
| S37 | 0 | S34 same (scheduler) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:02 |
| S38 | 154814 | (list or queue or memory of buffer) near4 (request or transaction or task or process or command) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:56 |
| S39 | 10 | S38 with (re\$organize) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:01 |
| S40 | 3 | S38 and ((scheduler) with (re\$prioritize or re\$organize)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:05 |
| S41 | 3 | ((scheduler) with (re\$prioritize or re\$organize)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:55 |

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S42 | 250 | ((schedul\$5) with (re\$prioritize or re\$organize or prioritize)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:55 |
| S43 | 137 | S42 and S38 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:55 |
| S44 | 93 | S42 with (request or transaction or task or process or command) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:59 |
| S45 | 68 | S43 and S44 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:56 |
| S46 | 723 | (request or transaction or task or process or command) with (list or queue or table or buffer or chain) with (re\$prioritize or re\$organize or re\$order) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/23 11:59 |
| S47 | 3072 | 709/220-222.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:04 |
| S48 | 754 | (request or transaction or task or process or command) with (list or queue or table or buffer or chain) with (re\$prioritize or re\$organize or re\$order) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:04 |
| S49 | 161162 | (list or queue or memory of buffer) near4 (request or transaction or task or process or command) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:04 |
| S50 | 280 | ((schedul\$5) with (re\$prioritize or re\$organize or prioritize)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:04 |
| S51 | 155 | S50 and S49 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:07 |
| S52 | 100 | S50 with (request or transaction or task or process or command) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:04 |
| S53 | 73 | S51 and S52 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:05 |

| | | | | | | |
|-----|--------|---|--|----|----|------------------|
| S54 | 6 | S47 and S48 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:05 |
| S55 | 1 | S47 and S53 | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:06 |
| S56 | 3 | ((scheduler) with (re\$prioritize or re\$organize)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:06 |
| S57 | 168421 | (request or transaction or task or process or command) near3 (attribut\$4 or characteristic or feature or component) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:06 |
| S58 | 16 | S57 with (version with configur\$8) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/06 11:06 |